



INSTALLATION INSTRUCTIONS

AIR LOUNGE + WAVE STAND

HARDWARE AND PARTS INCLUDED (IMAGES ARE NOT 1:1 SCALE)

	DESCRIPTION	QTY	PART IMAGE
a	Bolt	8	
b	Washer, 1 ³ / ₁₆ "	8	
c	Washer, 7/ ₈ "	2	
d	Nut, 1/2-13"	10	


	DESCRIPTION	QTY	PART IMAGE
a	Links 4" X 1"	2	
b	Links 6" X 1"	2	
c	Security Hooks	2	
d	Wrench	1	

 TO PROTECT YOU AND YOUR PRODUCT, PLEASE READ THE INSTALLATION INSTRUCTIONS.

WAVE STAND


Step 1

Cut the plastic bindings and remove the top of the box.




Step 2

Remove the hardware pouch and the five protective covers containing the assembly bars.



Step 3

Place the two Z-bar across from each other as shown below.
(The wave stand is omnidirectional).




WAVE STAND

Step 4

Insert the middle bar into both of the Z-bar extrusions to connect the Z-bar into the frame.


NOTICE

The two Z-bars and middle bar must be installed before mounting the rest of the wave stand.



Step 5


Insert two bolts into the Z-bar secure the middle bar. Repeat on the opposite side of the wave stand. Place a washer onto the bolt and fasten with a using the wrench.



WAVE STAND


Step 6

Insert one of the arm bars into the extrusion of the Z-bar. Rotate the arm bar until the two holes properly aligned. Insert the washer onto the bolt and fasten with a nut using the wrench.



Step 7


Insert the last arm bar into the extrusion of the Z-bar. Rotate the arm bar until the two holes properly aligned. Insert the washer onto the bolt and fasten with a nut using the wrench.



WAVE STAND


Step 8

Insert the two security hooks into the top holes of each arm bar. Secure the security hook using a wash and nut. Align the security hook with the indentation marker on the holes. Tighten using wrench. (Total of 2 bolts, 2 nuts, & 2 washer).



Step 9


Loop the larger hook over the security hook, then loop the smaller hook over the larger hook.



AIR LOUNGE

Step 10

Keep the Air Lounge rolled up and hook the triangle link to the smaller hook on one side of the arm bar.



Step 11

For a more effective installation, one person should begin extending the Air Lounge while the other pushes against the opposite end of the Wave Stand. Once extended, hook the triangle link to the smaller hook to complete the lounge setup.

Note: It is recommended to have at least two people when stretching the Air Lounge.

