

INSTALLATION INSTRUCTIONS

OCEAN MASTER MAX CANTILEVER - piston assist
AMBIATM LED LIGHTS - TOUCH SWITCH



To protect your product, please read the operating instructions before opening the parasol.


AMBIATM LED LIGHTS - TOUCH SWITCH

Step 1

Remove all packaging from the umbrella, including under the canopy.


Step 2

At the bottom of the mast pull the pin to unlock the cam lock handle and open the cam lock handle.




Step 3

After the security stem is installed on the base (see base installation instructions), slide the beauty cover over the mast and insert the mast over the security stem.



Step 4

Push cam lock handle down until it is locked into the security stem. Insert the pin into the lock handle.




Step 5


Gently separate each rib individually from the center hub approximately 10 inches. If the rib does not move easily, do not force. Inspect the product for additional packaging.

Step 6

Push cart handle up until it snaps into the locking position



AMBIATM LED LIGHTS - TOUCH SWITCH



Step 7

To close umbrella, unlock the lever (by pushing cart handle upwards and pushing cart lock lever in) then slide down the cart by pulling down the cart handle.


Step 8

Close umbrella with tie back when not in use.

Note:

close umbrella during wind conditions that exceed manufacturer's specifications.

CLOSING UMBRELLA



IF APPLICABLE - WITH LED LIGHT


Step 1

Plug in the electrical cord to outlet.

Step 2

Confirm the Ambia LED light works by pressing the power button located on the post.

touch switch



LIGHTING SPECIFICATIONS

Input Voltage	90 - 305VAC
Input Current	0.6A / 115VAC 0.3A / 230VAC
Output Voltage	12 VDC
Output Power	40 Watts

Unit is supplied with a 12ft power cord and plug.
1012699