Relax Glass io



Smart Home Ready stylish infrared patio heater with tinted ceramic glass front

Relax Glass is a range of infrared shortwave patio heaters delivering instant heat. Its discreet and stylish design makes it ideal for elegant outdoor applications, such as private patios, rooftop lounges, and restaurant terraces. Relax Glass io is Smart Home Ready and can be seamlessly integrated into Somfy io-homecontrol® systems, offering multiple control options.

Stylish design

The Relax Glass infrared patio heaters feature a premium SCHOTT NEXTREMA® high resistant ceramic glass front, available in white and black. Choose between sleek silver or timeless black casing to fit both residential and commercial outdoor settings.

Smart Home Ready

The patio heater can be seamlessly integrated into your smart home system via io-homecontrol® for synchronized control together with other connected devices, such as blinds, roof windows, and garage doors. It is also possible to create smart scenarios like “Leaving Home” to close everything with a single tap.

Flexible control options

Somfy remote controls offer convenient wireless operation. The 1-channel remote controls a single or multiple Relax Glass io. The 5-channel version also supports group and central control across different product categories, making it ideal for more advanced setups.



2,2/3,0 kW

Product specifications

- Light reducing ceramic-glass front in black or white, casing in black or silver.
- Halogen lamp with polished aluminium reflector.
- Wall and ceiling mounting brackets are included (only wall mounting for 2,2kW).
- Equipped with a 1.8 metre cord with plug for connection to an earthed outlet socket.
- Somfy remote control available as accessory.
- Waterproof, IP65.

Smart Home Ready by somfy

2025-09-10

Design and specifications are subject to change without notice.


Relax Glass io

Relax Glass io (IP65)

Item number	Type	Heat output [W]	Voltage [V]	Amperage [A]	Colour front	Colour casing	Max. filament temperature [°C]	Weight [kg]
476824	**IHRGIO22BB65**	2200	230-240V~	9,6	Black	Black	2100	5,3
476825	**IHRGIO22BS65**	2200	230-240V~	9,6	Black	Silver	2100	5,3
476826	**IHRGIO22WS65**	2200	230-240V~	9,6	White	Silver	2100	5,3
476827	**IHRGIO30BB65**	3000	230-240V~	13,0	Black	Black	2100	7,1
476828	**IHRGIO30BS65**	3000	230-240V~	13,0	Black	Silver	2100	7,1
476829	**IHRGIO30WS65**	3000	230-240V~	13,0	White	Silver	2100	7,1

Casing in powder-coated aluminium. Halogen lamp with polished aluminium reflector. Front in ceramic glass SCHOTT NEXTREMA®, available in white or black. Colour casing: silver or black.


Dimensions



	A [mm]	B [mm]	C [mm]	D [mm]
IHRGIO22	900	170	80	75
IHRGIO30	1286	170	128	75


CE UK CA

Minimum distances



Flammable material

Installation height





Mounting




Fig. 1: The heaters should heat from at least two directions for even heating.



Mounting brackets are included.

Positioning, mounting and connection

Positioning

The heaters must be placed so that they cover the area to be heated, see fig. 1. The normal mounting height is 2–3 metres above the ground/floor. Optimum comfort is achieved if the heat is distributed from at least two directions. The output demand for outdoor areas can vary significantly depending on many factors. Wind loads, location (country, altitude), shape of area to heat (spot vs total heating, walls, position of heaters) and its usage (restaurant vs private balcony, different users) must be considered. A rough estimation is 300-500 W/m² for area with 3 walls and 500-800 W/m² for less protected or open spaces. For enclosed areas, the output demand must be calculated.


Please contact Frico for advice and assistance regarding dimensioning.

Mounting

Relax Glass can be installed horizontally on walls or in ceilings with the brackets supplied. The 2,2kW model is only suitable for wall mounting. The heater can be angled in several fixed positions.

Connection

Relax Glass is equipped with a 1.8 metre cord with plug for connection to an earthed outlet socket.



Control options



Control options

Relax Glass io is controlled by a Somfy remote control, and can be operated at 1/3, 2/3 or full power. The heater can easily be integrated into your existing io-homecontrol® system if your remote control has a free channel. Somfy remote controls are available as accessories. IHRGIO-1 has a single channel but can control several heaters. IHRGIO-5 has 5 channels for a larger system, with more heaters or with other devices than Relax Glass io. The heater has an on/off switch on its right side.

Item number	Type	Description
477358	**IHRGIO-5**	5 channel remote control Relax Glass io
477359	**IHRGIO-1**	1 channel remote control Relax Glass io